

Posters

| S1 ^o | Photonics and optoelectronics - Electronic and optical properties, semiconductors and devices | |
|-----------------|---|--|
| P1.1 | A theoretical study of strong probe field effects in nonlinear optical processes in asymmetric semiconductor nanostructures | Emmanuel Paspalakis, <u>John Boviatsis</u> and Sotirios Baskoutas |
| P1.2 | A low cost alternative for the measurement of electrical properties | <u>A. Damianidis</u> , A. Theodorakakos, E. Hatzikraniotis |
| P1.3 | Amplitude and phase control of absorption and dispersion in a four-level quantum system near a plasmonic nanostructure | <u>Sofia Evangelou</u> , Vassilios Yannopapas and Emmanuel Paspalakis |
| P1.4 | Effect of Branching and Positional Isomerism on photophysical properties of Triphenylamine-Benzothiazole Chromophores | <u>M. Fakis</u> , D. Chroni, <u>P. Hrobárik</u> V. Hrobáriková I. Sigmundová, V. Giannetas, and P. Persephonis |
| P1.5 | Single electron transfer in a double quantum dot using stimulated Raman adiabatic passage | <u>Antonios Fountoulakis</u> and Emmanuel Paspalakis |
| P1.6 | Anomalous Fading Effect of luminescence signals in Five Different Apatite Samples | <u>V. Giannoulatou</u> , I.K. Sfamba, G.S. Polymeris, G. Kitis |
| P1.7 | Conductivity study of LiZnVO ₄ for humidity sensor applications | <u>A. Kazakopoulos</u> and O. Kalogirou |
| P1.8 | Investigations on 2 nd Generation Photovoltaic Cells based on Chalcopyrite Thin Film Absorbers | <u>P. Koralli</u> , S. Fiat, V.Chountalas, E. Markou, M.Kompitsas, D.E. Manolagos, I. Polat, e. Bacaksiz |
| P1.9 | Fs-Laser Induced Breakdown Spectroscopy In methane-air Flames For Combustion Diagnostics | <u>M. Kotzagianni</u> and S. Couris |
| P1.10 | Laser Induced Breakdown Spectroscopy (LIBS): A Laser-based Technique For Elemental Composition Of Solid And Gaseous Samples | <u>M. Kotzagianni</u> , J. Chatzonikolakis, F. Kapsalidis and S. Couris |
| P1.11 | Effects Of Size And Coating On The Nonlinear Optical Properties Of Magnetic Iron Oxide Nanoparticles (MIONS) | <u>N. Liaros</u> , E. Tagoudi, A. Bakandritsos and S. Couris |
| P1.12 | Nonlinear Optical Properties of Pd Micellar Hybrid Nanomaterials | <u>I. Papagiannouli</u> , M. Demetriou, T. Krasia-Christoforou, S. Couris |

| | | |
|-------|---|--|
| P1.13 | Room and Low Temperature Conduction of Silver Nanoparticles. | <u>P. Photopoulos</u> , N. Mathaiakakis, S. Giannakopoulos and D. Tsoukalas |
| P1.14 | Synthesis, Structure, and Physical Properties of Some New Metal Dithiolene Complexes | <u>A. Pitsas</u> , Ch. Minadakis, M. J. Manos, A. J. Tasiopoulos, N. Psaroudakis, D. Palles, G .C. Soras and G. A. Mousdis |
| P1.15 | On the use of the Weibull distribution function for frequency dependent electron damping reflectivity; the case of PbTe doped with Br | <u>G. S. Polymeris</u> , E. C. Stefanaki, E. Hatzikraniotis, K. M. Paraskevopoulos |
| P1.16 | Production and optoelectronic characterization of SiO _x thin films | S. Grammatikopoulos, S.D. Pappas, A. Delimitis, <u>P. Pouloupoulos</u> , V. Kapaklis, D. Trachylis, M. J. Velgakis, C. Politis |
| P1.17 | Spin based Qubits | <u>V.N. Stavrou</u> and G.P. Veropoulos |
| P1.18 | Hall Effect and Resistivity Measurements in Films Grown on Conductive Substrate | <u>E.C. Stefanaki</u> , O. Valassiadis, E.Hatzikraniotis and K. M. Paraskevopoulos |
| P1.19 | Synthesis and Photophysical Properties of Novel Phthalocyanine Complexes | A. Vogiatzi, <u>A. Thimiopoulos</u> , E.D. Simandiras, G.A. Mousdis, N. Psaroudakis |
| P1.20 | Electrical Conductivity Mechanisms of Modified with Urea TiO ₂ Nanopowders | <u>T. Georgakopoulos</u> , N. Todorova, K. Pomoni and C. Trapalis |
| P1.21 | Counter Electrodes For Dye Sensitized Solar Cells With Improved Stability | <u>G. Syrokostas</u> , G. Leftheriotis and P. Yianoulis |
| P1.22 | Electrochemical Ni-Fe and Ni-Mo-Zn thin film deposition on copper substrates for efficient electrolytic hydrogen production | <u>P.Yianoulis</u> , A.Margalias, K. Theodosiou |
| P1.23 | Combined electrochromic-transparent conducting coatings consisting of noble metal and WO ₃ multilayers | <u>E. Koubli</u> , G. Leftheriotis and P. Yianoulis |
| P1.24 | Co-sensitization of Solar Cells by Organic Dyes | <u>M. Giannouli</u> , G.Tziogkidou |
| P1.25 | The electrical properties of MIS capacitors with Si Nitride insulator | <u>I.Barmaxizoglou</u> , I. Stavrakas, and D. Triantis |
| P1.26 | Study of the thermal distribution over Mg ₂ Si thermoelectric material with infrared imaging | <u>K. Zorbas</u> , E. Hatzikraniotis, K.M. Paraskevopoulos |

| | | |
|-----------------------|--|--|
| P1.27 | ALD deposited ZrO ₂ ultrathin films on Si substrates: morphology and electrical evaluation | <u>M. Botzakaki</u> , G. Skoulatakis, N. Xanthopoulos, C.Tsamis, E. Makarona, S. Kennou, S. Ladas, S.N. Georga and C.A. Krontiras |
| P1.28 | Zero-Power 1-D Polymeric photonic crystal humido-chromic sensor | M.-I. Georgaki, N. Papanikolaou, P. Argitis, M. Chatzichristidi, <u>I. Raptis</u> |
| S3^o | Strongly correlated electronic systems, magnetism and superconductivity | |
| P3.1 | Scaling of Hall Coefficient in Co-Bi Granular Thin Films | <u>P. Athanasopoulos</u> , C. Christides and Th. Speliotis |
| P3.2 | Effect of Ionic Radii on the Orbital Ordering Transition and Magnetic Order in Perovskite Type (La, Pr, Ca)MnO _{3+δ} (δ≈0) Compounds. | E. Syskakis, <u>K. Georgalas</u> |
| P3.3 | Steel Health Monitoring Using Magnetic Techniques | A. Ktena, P. Vourna, E. Hristoforou |
| P3.4 | Vortex matter properties of YBa ₂ Cu ₃ O _{6+x} single crystal with oxygen content near the antiferromagnetic ground state | <u>George Papageorgiou</u> and Michael Pissas |
| P3.5 | Magnetic Domains in Thin Films and Multilayers | S.D. Pappas, V. Karoutsos, <u>P. Pouloupoulos</u> , M.J. Velgakis and C. Politis |
| P3.6 | Temperature-Dependent Magnetic Properties and Correlation between Magnetism and Structure in Naturally Produced Ni/NiO Multilayers | S. D. Pappas, <u>P. Pouloupoulos</u> , V. Kapaklis, P. E. Jönsson, E. Th. Papaioannou, A. Delimitis, D. Trachylis, M. J. Velgakis and C. Politis |
| P3.7 | Induced Magnetism of 4d and 5d Metals under the Prism of Synchrotron Radiation | A. Vlachos, V. Kapaklis, S.D. Pappas, <u>P. Pouloupoulos</u> , F. Wilhelm and A. Rogalev |
| P3.8 | Magnetism and Crystal structure of Ba-doped BiFeO ₃ film and powder samples | <u>Siadou N</u> , Panagiotopoulos, Bakas T., Kourkouvelis N. and Litsardakis G. |

| | | |
|-----------------------|---|---|
| P3.9 | Removal of hexavalent chromium by ferrite nanoparticles | <u>K. Simeonidis</u> , M. Tziomaki, E. Kaprara, M. Mitrakas, M. Angelakeris, G. Vourlias, N. Andritsos |
| P3.10 | Superconducting Properties of Niobium Films Deposited on Rough Zinc Oxide Substrates | M. Zeibekis, E. Aristomenopoulou, D. Niarchos, <u>D. Stamopoulos</u> |
| P3.11 | Specific Heat of Hole Doped Cuprates | <u>Z. Viskadourakis</u> , I. Radulov, C. Panagopoulos |
| S4^o | Physics of surfaces, the nanoscale and low-dimensional systems | |
| P4.1 | The Importance Of Clusters Composition In The Forming Of SuperClusters In The Case Of Cu ₆₅ Zr ₃₅ | <u>G.A. Almyras</u> , G.A. Evangelakis |
| P4.2 | Al/Nb Microalloying effect and bonding particularities in the microstructure of Cu-Zr Metallic Glasses by ab-initio calculations | <u>G.B. Bokas</u> , G.A. Evangelakis and Ch.E. Lekka |
| P4.3 | Porous Alumina Membranes as Semitransparent Detectors' Window | <u>A. Christoulaki</u> , S. Dellis, N. Spiliopoulos, A. Vradis and D. L. Anastassopoulos |
| P4.4 | Novel Carbon-Based Hybrid NanoMaterials: The Engagement of Magnetic Nanoparticles with Nanotubes, NanoGraphene Oxide and Nanodiamonds | A. P. Douvalis, D. Gournis, A. B. Bourlinos, R. Zboril, V. Georgakilas, P. N. Trikalitis, T. Tsoufis, E. K. Diamanti, A. Zachopoulos, <u>T. Bakas</u> |
| P4.5 | Stability and Bonding Characteristics of Fe and Ti Oxides on Single Wall Carbon Nanotube by Density Functional Theory Computations | <u>M.A. Gialampouki</u> and Ch.E. Lekka |
| P4.6 | Structural Disorder effects on Boron at Grain Boundaries in poly-Si | <u>A. Kanaki</u> and X. Zianni |
| P4.7 | Structure of homophase and heterophase interfaces in nonpolar III-Nitride epilayers | J. Kioseoglou, G.P. Dimitrakopoulos, A. Lotsari, Th. Kehagias, M Zacharopoulos, <u>Th. Karakostas</u> and Ph. Komninou |

| | | |
|-------|---|---|
| P4.8 | Ab initio study of semipolar III-Nitride surface morphologies | J. Kioseoglou, E. Kalesaki, L. Lymperakis, J. Neugebauer, <u>Ph. Komninou</u> , and Th. Karakostas |
| P4.9 | Electron energy loss spectroscopy (EELS) of InGaN and InAlN alloys | M.M. Soumelidou, J. Kioseoglou, H. Kirmse, Th. Karakostas and <u>Ph. Komninou</u> |
| P4.10 | Structure of surface depressions in semipolar $(1\bar{1}\bar{2}2)$ InGaN epilayers | <u>A. Lotsari</u> , A.Das, Th. Kehagias, Y.Kotsar, E.Monroy, Th. Karakostas, P. Gladkov, Ph. Komninou, and G.P.Dimitrakopoulos |
| P4.11 | Structural and optical characterization of carbon nanostructures produced by picosecond ultra fast pulsed laser deposition | M. Pervolaraki, <u>Ph. Komninou</u> , J. Kioseoglou A. Othonos, and J. Giapintzakis |
| P4.12 | Structure characterization of $\text{Ni}_{1-x}\text{Te}_x$ embedded nanodomains by precession electron diffraction and automatic diffraction tomography | <u>E Sarakinou</u> , E Mugnaioli, Ch B Lioutas, N Vouroutzis, N Frangis, U Kolb, S Nikolopoulos |
| P4.13 | Human Health Risk Management in Engineered Nanomaterials | <u>E.Margaritis</u> , D. A. Dragatogiannis, E. P. Koumoulos, D. Diakoulaki, C. A. Charitidis |
| P4.14 | Spectroscopic characterization of new electron accepting polymeric materials | <u>Tantis I.</u> , Ravani F., Sygellou L., Kourkouli S., Siokou A., Kallitsis K.I. |
| P4.15 | Toxicology of Nanomaterials | <u>N. Vlachou</u> , E. K. Efthimiadou, C. Tapeinos, G. Kordas, C. A. Charitidis |
| P4.16 | Deposition of Gold Nanoparticles on Nanostructured Supports for Applications in Catalysis | <u>Niki Bardi</u> , Leonor Alves and Ernest Mendoza |
| P4.17 | Surface chemical investigation of high-k oxides thin films grown by Atomic Layer Deposition on Ge (100) | <u>Skoulatakis Georgios</u> , Kennou Stella and M. Botzakaki, A. Kerasidou, N. Xanthopoulos, D. Skarlatos, S.N. Georga and C.A. Krontiras |

| | | |
|-----------------------|---|---|
| P4.18 | Electronic and Vibrational Properties of Graphene | <u>E. Parisis</u> , S. Alexandri and K. Papagelis |
| P4.19 | Zinc Oxide nanostructures grown on Si by the VLS method: the effect of catalyst on the ZnO properties | <u>Katerina Govatsi</u> , Sotiria Betsi, Vassilis Dracopoulos and Spyros Yannopoulos |
| P4.20 | Laser induced growth of Te and TeO ₂ nanowires | <u>Th. Vasileiadis</u> , V. Dracopoulos, A. Chrissanthopoulos, and S. N. Yannopoulos |
| S5^o | Polymer, organic materials, biomaterials and self-assembled materials | |
| P5.1 | Secondary (β , γ) relaxation modes of Eudragit [®] EPO: a TSDC study | <u>Konstantinos Batsaris</u> , Ioannis M. Kalogeras and Vasiliki Katsika-Tsigourakou |
| P5.2 | On an Objective Experimental Method for the Determination of the Electrohydrodynamic Instability Thresholds in a Nematic Liquid Crystal | <u>E. Ramou</u> , H.M. Zenginoglou, P.L. Papadopoulos |
| P5.3 | Photoelectron Spectroscopy Study of a Perylene Bisimide/Au Interface | <u>K. Emmanouil</u> , P. Gawrys and S. Kennou |
| P5.4 | Self-assembly and Dynamics of Discotic Liquid Crystals of Nanographenes | <u>C. Grigoriadis</u> , N. Haase, K. Muellen and G. Floudas |
| P5.5 | Flow through Polymer-bearing Nanopores in Anodised Alumina Membranes | <u>D. Patroni</u> , A. Christoulaki, S. Dellis, N. Spiliopoulos, D.L. Anastassopoulos, A.A. Vradis, and C. Toprakcioglu |
| P5.6 | Investigation of the Role of Atmospheric Oxygen and Moisture on the Electrical Conductivity of PEDOT:PSS Films | <u>S. Sakkopoulos</u> and E. Vitoratos |
| P5.7 | Effect of Nanoclay on the Dynamics of Epoxy/Carbon Nanotubes Composites | <u>Adamos Z. Stimoniaris</u> , Haralampos Zois, Athanasios Kanapitsas, and Constantinos G. Delides |

| | | |
|-----------------------|--|---|
| P5.8 | Thermal decomposition kinetics of Epoxy Resin Nanocomposites | <u>Haralampos Zois</u> , Athanasios Kanapitsas, Adamos Z. Stimoniaris and Constantinos G. Delides |
| P5.9 | Distance-dependence of hole transfer rates in DNA | <u>E. Spanou</u> and G. Kalosakas |
| P5.10 | Peripheral Blood Smear Biopsy with the Atomic-Force and Scanning-Electron Microscopes for Clinical Practice Purposes | <u>D. Stamopoulos</u> |
| P5.11 | Thermal and structural characterization of crosslinked high density polyethylene | E. Roumeli, G. Vourlias, D. Bikiaris, <u>K. Chrissafis</u> |
| P5.12 | Characterizing and Modeling Mechanical Properties of Polypropylene Random Copolymer / Silicon Dioxide nanocomposites | <u>Dimitrios G. Papageorgiou</u> , Dimitrios N. Bikiaris and Konstantinos Chrissafis |
| S6^o | Ceramic, composites, minerals, metallic and novel materials | |
| P6.1 | Electrical Response of Polymer Matrix TiC Nano-Composites | <u>S. Andrikaki</u> , A. C. Patsidis and G. C. Psarras |
| P6.2 | Structure-Properties relationship and Energy Storage capability of Nano-Composite System: polyester polymer matrix/barium titanate particles | <u>I. A. Asimakopoulos</u> , G.C. Psarras and L. Zoumpoulakis |
| P6.3 | Fluidized Carbon Nanotubes Through Novel Modification Pathways | <u>A. B. Bourlinos</u> , A. Douvalis, T. Bakas, V. Georgakilas, A. Bakandritsos, M. A. Karakassides, D. Gournis, A. Kouloumpis, R. Zboril and E. P. Giannelis |
| P6.4 | A Study of Differential Polarization Curves for Carburized Iron Substrates in 3.5 wt. % NaCl Aqueous Solutions | <u>E.M. Pechlivani</u> , E. Pavlidou, G. Vourlias, D. Tsipas, G. Stergioudis |
| P6.5 | Magnetocaloric effect in LaNi ₅ powder – An experimental study of the major parameters. | <u>E.I Gkanas</u> , S.S Makridis, D. Gounidis, K. Efthimiadis and A. K Stubos |

| | | |
|-------|--|--|
| P6.6 | Brittleness of Ternary Fe-Mn-C Steel Plastic Twin Deformation, due to Hydrogen | <u>E.I Gkanas</u> , I. Agorastos, M. Antoniou, A. Vlachos, F. Dialynas, N. Xanthoulis and S.S Makridis |
| P6.7 | Comparison between different modes of absorption and desorption of hydrogen in a rectangular tank | <u>E.I. Gkanas</u> , S.S. Makridis and A.K. Stubos |
| P6.8 | Preparation and Characterisation of Nanocomposite AB ₂ -Type Intermetallic Compounds with Improved Hydrogen Ability | <u>A. Ioannidou</u> , S.S. Makridis, A.K. Stubos, A. Lopez, J. Folch, G. Noriega |
| P6.9 | Development of Integrated (Mg-Pd)(Ni _x TM _{1-x}) ₂ Advanced Materials and Processes for Efficient Hydrogen Storage | <u>A.Ioannidou</u> , S.S. Makridis, M. Gjoka, N. Lupu, A.K. Stubos, D. Niarchos |
| P6.10 | Dielectric Properties of γ -Al ₂ O ₃ Nanopowder Synthesized by Anodic Arc Discharge in Water | <u>A. Kerasidou</u> , D. Delaportas, P. K. Karahaliou, N. Xanthopoulos, S. N. Georga, C. A. Krontiras and P. Svarnas |
| P6.11 | Dielectric Properties and Functionality of ZnTiO ₃ /BaTiO ₃ / Epoxy Resin Hybrid Nanocomposites | <u>E. I. Koufakis</u> , O. Vrionis, A. C. Patsidis ¹ and G. C. Psarras |
| P6.12 | Permittivity and Dielectric Relaxation Phenomena in Polymer Matrix – ZnO Nanocomposites | <u>G. N. Mathioudakis</u> , A. C. Patsidis, G. C. Psarras |
| P6.13 | Dielectric, Thermomechanical and Functional Behavior of Epoxy Resin-Barium Titanate and/or Carbon Nanocomposites | <u>A. C. Patsidis</u> , K. Kalaitzidou, G. C. Psarras |
| P6.14 | Phononic bandgaps in graphene with germanium defects | <u>Michael M. Sigalas</u> , Emmanuel N. Koukaras and Nicolaos Aravantinos-Zafiris |
| P6.15 | Formation and evaluation of the oxidation resistance of Mg ₂ Si coatings deposited by pack cementation on Si substrates | D. Stathokostopoulos, D. Chaliampalias, E. Pavlidou, G. Stergioudis, K.M. Paraskevopoulos, G. Vourlias |

| | | |
|-------|---|--|
| P6.16 | On the deposition of Mg and Al resistant coatings formed by pack cementation on copper substrates | <u>D. Stathokostopoulos</u> , D. Chaliampalias, E. Pavlidou, G. Stergioudis, G. Vourlias |
| P6.17 | Heteroepitaxial layer-by-layer growth of VO ₂ thin films on (001) TiO ₂ substrates by Pulsed Laser Deposition | <u>E. Svoukis</u> , G.A. Athanasopoulos, I. Pasuk, C. Lioutas, and J. Giapintzakis |
| P6.18 | Combustion synthesis catalysts for CO ₂ reforming of CH ₄ | S. Varitis, <u>G. Xanthopoulou</u> , G. Romanos, G. Vekinis, K. Karanasios |
| P6.19 | Joining of C _i /SiC composite to Ti alloy | <u>P. Yialouris</u> , Y. Panayiotatos, C. Jiménez, C. Wilhelmi and K. Mergia |
| P6.20 | The influence of preparation techniques on the dielectric response of Polyoxymethylene/Polyurethane/Layered Silicate nanocomposites | <u>A. Kerasidou</u> , G. C. Psarras, S. Siengchin, P. K. Karahaliou, N. Xanthopoulos, S. N. Georga, C. A. Krontiras and József Karger-Kocsis |